

Page 1 of 11

### **SECTION 1 : IDENTIFICATION**

1.1 Product identifier

Product nameWater-Washable Rapid BlackRecommended use and restrictions on useFor use in Phrozen 3D-printersRecommended useFor use in Phrozen 3D-printersRestrictions on useDo not use in the situation that easily generate aerosol, steam.1.2Name, address and phore of manufacturer , importers or supplierManufacturerPhrozen Tech Co., Ltd.287 Niupu Rd, Xiangshan Dist,<br/>Hsinchu City 30091, TAIWAN( R.O.C )Phone+886-3621-0505

Emergency phone / Fax +886-3621-0505 / +886-3539-6591

### SECTION 2 : HAZARD IDENTIFICATION

### 2.1. Hazard classification

Skin corrosion/irritation Category 2, Serious eye damage/eye irritation Category 1 Skin sensitization Category 1 Specific target organ toxicity-single exposure(respiratory tract irritation) Category 3 Specific target organ toxicity - repeated exposure Category 2, Hazardous to the aquatic environment - acute hazard Category 1, Hazardous to the aquatic environment - chronic hazard Category 3

### 2.2. Signal statement

Corrosion, Exclamation mark, Health hazard, Environment



### 2.3. Pictograms

2.4. Signal word Danger

### 2.5. Hazard statements

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.



Page 2 of 11

Very toxic to aquatic life with long lasting effects.

### 2.6. Precautionary statements

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read carefully and follow all instructions. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, If present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Store in a well-ventilated place. Keep container tightly closed Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.7. Other hazard

None

## SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS number	Weight %	Classification acc. to GHS
Urethane acrylate oligomer	73324-00-2	50 - 75%	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335
hexamethylene diacrylate	13048-33-4	15 - 25%	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411
4-Acryloyl morpholine	5117-12-4	10 - 20%	Acute Tox. 4 / H302 Eye Dam. 1 / H318 Skin Sens. 1 / H317 STOT RE 2 / H373



Page 3 of 11

### SECTION 4 : FIRST AID MEASURES

### 4.1. First-aid advice and recommendations for different routes of exposure

#### 4.1.1. Inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

### 4.1.2. Skin Contact

Wash with plenty of soap and water.

### 4.1.3. Eyes Contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### 4.1.4. Ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

# 4.2. Most important symptoms and hazardous effecects

None

### 4.3. Protection of First-aid personnel

None

4.4. Note for physician

None

### SECTION 5 : FIRE-FIGHTING MEASURES

### 5.1. Applicable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

- **5.2.** Specific hazards confronted during fire fighting Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)
- 5.3. Specific fire-fighting procedure None
- 5.4. Specific protecttive equipments for fire-fighters



Page 4 of 11

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precations

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2. Environmental precations

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3. Cleaning methods

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust,kieselgur(diatomite), sand, universal binder. Covering of drains. Place in appropriate containers for disposal. Ventilate affected area.

### SECTION 7 : SAFETY HANDLING AND STORAGE

### 7.1. Handling

Use local and general ventilation. Use only in well-ventilated areas.

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Wash hands after use.

Never keep food or drink in the vicinity of chemicals.

Never place chemicals in containers that are normally used for food or drink.

### 7.2. Storage

Storage at the area of cool,dry.

Keep away from heat ,direct sunlight, rainy and rapid temperature .

Storage temperature between 15°C/ 59°C to 35°C / 95°F.

Close the lid tightly when not in use.



Page 5 of 11

### SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Engineering controls

Provide adequate ventilation to the areas where the product is stored and/or handled.

### 8.2. Control Parameters

None

### 8.3. Personal protective equipment

### 8.3.1 Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filtering half mask (EN 149). P1 (filters at least 80 % of airborne particles, colour code: White).

### 8.3.2 Hand protection

Chemical protection gloves are suitable, which are tested according to EN 374.

For example : NBR: acrylonitrile-butadiene rubber

Material thickness : ≥ 0.6mm

Breakthrough times of the glove material : > 480 minutes (permeation: level 6)

### 8.3.3 Eye protection

Use safety goggles.

#### 8.3.4 Skin protection

Use clothing that provides complete protection to the skin.

#### 8.4. Hygiene measures

Do not eat, drink and smoke in work areas.

Wash thoroughly after handling.

Keep clean of operation area.

Take off polluted clothing as soon as possible after work. The clothing can be re-wear only after washed in clean or discard.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Apperance and color	Black viscous liquid	Odor	Typical acrylate
Odor threshold	N/A	Melting point	N/A
pH value	6 - 8	Boiling point	98.82 °C at 0.71 mbar
Flammable	N/A	Flash point	N/A



Page 6 of 11

Decomposition Temp	N/A	Testing method	N/A
Natural Temp	235 °C	Explosive limit	N/A
Vapor pressure	0.001 hPa at 20 °C	Vapor density	N/A
Density	1.11 g /cm³ at 25 °C	Solubility	N/A
Octanol/water distribution coefficient (log Kow)	N/A	Evaporaion rate	N/A

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Stability

Stable under normal condition.

10.2. Possible hazardous reation under specific conditions

None

### 10.3. Must avoid condition

UV-radiation/sunlight.

### 10.4. Must avoid substances

Oxidisers, Reducing agents

#### 10.5. Hazardous decomposted product

None

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

Test data are not available for the complete mixture.

### 11.1. Exposure paths

None

### 11.2. Symptoms

None



Page 7 of 11

#### 11.3. Acute toxicity

Components	route	Species	End point	Value
4-Acryloylmorpholine	oral	Rat	LD50	588 mg/kg
	Dermal	Rat	LD50	> 2,000 mg/kg
hexamethylene	oral	Rat	LD50	5000 mg/kg
diacrylate	Dermal	Rabbit	LD50	3650 mg/kg
	inhalation	Rat	LC50	0.41mg/l

### 11.4. Chronic toxicity

None

### 11.5. Reproductive and/or Developmental Effects

None

### SECTION 12: ECOLOGICAL INFORMATION

The product has not been tested. The statement has been derived from the properties of the individual components.

#### 12.1. Ecological toxicity

Aquatic toxicity (acute) of components of the mixture				
Components	End point	Value	Species	Exposure time
hexamethylene	LC50	0.38 mg/l	fish	96 h
diacrylate	EC50	8.3 mg/l	aquatic invertebrates	24 h
	ErC50	2.33mg/l	algae	72h
4-AcryloyImorpholine	LC50	>220mg/l	fish	24h
	EC50	230mg/l	aquatic invertebrates	24h
	ErC50	>120mg/l	algae	72h
phenyl bis(2,4,6-	LC50	>90mg/l	fish	96 h
trimethylbenzoyl)-	EC50	>1175mg/l	aquatic invertebrates	48 h
phosphine oxide	ErC50	>260mg/l	algae	72h
Aquatic	toxicity (chr	onic) of comp	onents of the mixture	
Components	End point	Value	Species	Exposure time
hexamethylene	LC50	0.47 mg/l	aquatic invertebrates	21d
diacrylate	EC50	0.15 mg/l	aquatic invertebrates	21d
phenyl bis(2,4,6-	EC50	>100 mg/l	microorganisms	3h
trimethylbenzoyl)-				
phosphine oxide				



Page 8 of 11

### 12.2. Per sistence and degradability

Degradability of components of the mixture				
Components	Process	Degradation rate	Time	Source
hexamethylene	carbon dioxide	60 -70%	28d	ECHA
diacrylate	generation			
phenyl bis(2,4,6-	carbon dioxide	1%	29d	ECHA
trimethylbenzoyl)-	generation			
phosphine oxide				

### 12.3. Bio-accumulative potential

Components	BCF	Log kow	BOD/COD
hexamethylene		2.81(25°C)	
diacrylate			
4-		-0.46 (21 °C)	
Acryloylmorpholine			
phenyl bis(2,4,6-	<5	5.8 (pH value: 8.3, 22 °C)	
trimethylbenzoyl)-			
phosphine oxide			

#### 12.4. Mobility in soil

None

#### 12.5. Other adverse effects

None

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste disposal methods

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

#### 13.2. Sewage disposal method

Do not empty into drains. Avoid release to the environment.

#### 13.3. Contaminated Packaging disposal method

Handle contaminated packages in the same way as the substance itself.



Page 9 of 11

### SECTION 14: TRANSPORT INFORMATION

Land transport USDOT	Not classified as dangerous goods under transport regulations.
<b>Sea transport</b> IMDG	Not classified as dangerous goods under transport regulations.
Air transport IATA/ICAO	Not classified as dangerous goods under transport regulations.
Further information	N/A
Other requirements	N/A

### SECTION 15: REGULATORY INFORMATION

- **15.1. List of substances subject to authorisation (REACH, Annex XIV) / SVHC- candidate list** None of the ingredients are listed
- 15.2. Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed

15.3. Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed

### 15.4. Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

### 15.5. National inventories

Country	Inventory	Status
AU	AU AICS	all ingredients are listed
СА	DSL	not all ingredients are listed
СА	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed



Water-Washable Rapid Black



Page 10 of 11

JP	ISHA-ENCS	not all ingredients are listed
NZ	NZIOC	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

Australian Inventory of Industrial Chemicals
Domestic Substances List (DSL)
Inventory of Existing Chemical Substances Produced or Imported in China
EC Substance Inventory (EINECS, ELINCS, NLP)
REACH registered substances
List of Existing and New Chemical Substances (CSCL-ENCS)
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
New Zealand Inventory of Chemicals
Chemical Inventory and Control Regulation

### **SECTION 16: OTHER INFORMATION**

Reference	US OSHA HCS 29 CFR 1910.1200 / REACH / ECHA
Table formulation	Name : Phrozen Tech. Co. Ltd
unit	Address / Phone : 287 Niupu Rd, Xiangshan Dist, Hsinchu City 30091,
	TAIWAN( R.O.C ) /+ 886-3-6210505
Table formulator	Job title : Occupational Safety & Health manager
	Name : Chun-Yao, Kuo
Table formulation	202404.25
Date	
Remarks	In the above described information, the symbol "N/A" means no
	relevant information currently.

To the best of our knowledge the information contained herein is accurate. However, Phrozen Tech. Co. Ltd. makes no warranty, expressed or implied, regarding the accuracy of these results to be obtained from the use thereof. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Phrozen Tech. Co. Ltd. assumes no responsibility for injury from the use of the product described herein.



Page 11 of 11

## END OF SAFETY DATASHEET