

NYLON PA12

Safety Data Sheet of Fiberlogy NYLON PA12 according to Regulation (EC) No. 1907/2006 (REACH) and EU Regulation 2020/878.

Update: 28.03.2025 r.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. PRODUCT IDENTIFIER

Fiberlogy NYLON PA12

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Application: Filament used for 3D printing

Uses advised against: Undefined

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Fiberlab S.A.

Brzezie 387,

32-014 Brzezie,

Poland

datasheets@fiberlab.com

1.4. EMERGENCY TELEPHONE NUMBER

112 (Europe)

SECTION 2: HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

According to the Regulation (EC) no. 1272/2008 (CLP): Product is not classified as hazardous.

2.2. LABEL ELEMENTS

Hazard pictograms and signal word: None

Dangerous components placed on the None

label:

Hazard statements: None

Precautionary statements: None

According to the Regulation (EC) no. According to European and national laws, the

1272/2008 (CLP): product does not require labeling.

2.3. OTHER HAZARDS



NYLON PA12

According to Regulation (EC) No. 1272/2008 (CLP): No specific hazards are known if regulations/recommendations for storage and handling are followed. Dust generation should be avoided as it may cause slight irritation to the eyes, skin and respiratory system.

This mixture does not meet the PBT and vPvB criteria of REACH regulation, annex XIII.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. SUBSTANCES

Not applicable

3.2. MIXTURES

Substance name	CAS no.	No. EC / ECHA list	PCT (wt%)	Classification according No 1272/20 Hazard classes and category codes	
Polyamide 12	-	-	>94	-	-
Functional addtives	-	-	<1	=	-
Dye additives	-	-	<5	_	-

SECTION 4: FIRST AID MEASURES

4.1. DESCRIPTION OF FIRST AID MEASURES

Inhalation: Move affected person to fresh air. Get a medical assistance immediately.

Skin contact: Immediately rinse with plenty of water after contact with molten

polymer for at least 15 minutes. If skin irritation continues, get medical

assistance.

Eye contact: Immediately rinse eyes with plenty of water for at least 15 minutes. Get

medical attention if symptoms occur.

Ingestion: Rinse mouth and then drink plenty of water. Never give anything by

mouth to an unconscious person. Do not induce vomiting, unless

directed by medical personnel. Call a doctor immediately.

Information for medical: Treat symptomatically.

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms: No significant body reactions to the product.

Threats: Risk of skin burns caused by molten material when handled improperly.

Other than that, no risk is expected when used intentionally and handled

properly.

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED



NYLON PA12

Continuation of first aid measures. Treatment as recommended by the doctor.

SECTION 5: FIREFIGHTING MEASURES

5.1. EXTINGUISHING MEDIA

Suitable extinguishing agents: water spray, foam, carbon dioxide.

Unsuitable extinguishing agents: direct stream of water.

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

In case of combustion: formation of carbon monoxide, carbon dioxide, ammonia, hydrogen cyanide, toxic fumes and other decomposition products.

5.3. ADVICE FOR FIREFIGHTERS

Provide/wear protective breathing apparatus.

The degree of risk depends on the burning substance and fire conditions. In case of combustion, possible formation of toxic gases/vapors. Dispose of fire residues and contaminated extinguishing water according to applicable regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Keep away from ignition sources. Avoid contact with skin and eyes. Avoid inhalation of dust. Wear dust masks and safety goggles if necessary.

6.2. ENVIRONMENTAL PRECAUTIONS

It should not be released into the environment.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Sweep up and collect. Avoid dust generation. Provide proper ventilation. Dispose of absorbed material according to regulations.

6.4. REFERENCE TO OTHER SECTIONS

Information on exposure control/personal protective equipment and waste handling is available in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLING



NYLON PA12

Use the product according to the intended use and the rules of occupational safety and health. Set up processing machinery in a room with good ventilation. Avoid formation and deposition of dust. Maintain good cleanliness standards to prevent dust accumulation.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Information on fire and explosion protection: General fire safety rules should be followed.

In case of dust formation: Take measures to prevent electrostatic charge.

Avoid all sources of ignition: heat, sparks, open flames.

<u>Storage</u>: Well closed/packed, cool and dry place. Protect from moisture, direct strong sunlight and high temperature. Avoid contamination with other substances. Avoid storage together with hazardous substances.

7.3. SPECIFIC END USE(S)

For the relevant identified uses listed in Section 1, follow the guidance listed in this section.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

Product does not contain any significant amounts of materials with occupational exposure limits.

8.2. EXPOSURE CONTROLS

Personal protective equipment

Respiratory protection: respiratory protection if dusts are formed. particulate filter (type P1).

<u>Hand protection:</u> use additional gloves for protection against heat when working with hot molten material (EN 407).

Eye protection: safety goggles with side shields (frame goggles) (e.g. EN 166),

<u>Body protection:</u> Body protection must be selected depending on the activity and possible exposure, e.g. apron, safety boots, chemical protection suit.

<u>General safety and hygiene measures:</u> avoid contact between molten material and skin. Avoid inhalation of dusts/mists/vapours. Eye wash fountains and safety showers must be easily accessible. Follow industrial hygiene and safety rules.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES



SAFETY DATA SHEET **NYLON PA12**

Physical state Solid

Colour By assortment Odour **Odourless** Melting point / freezing point 174-178°C Boiling point Not applicable Flammability No data Lower and upper explosion limit No data Flash point Not applicable Auto-ignition temperature 420-450°C Decomposition temperature >350°C

рΗ Not applicable Not applicable Kinematic viscosity Solubility in water Insoluble Not applicable

Partition coefficient n-octanol/water (log

value)

Vapour pressure Not applicable 1,01 g/cm³ Density and / or relative density Relative vapour density Not applicable

Particle characteristics Product in the form of filament with an average

diameter of 1.75mm

9.2. OTHER INFORMATION

9.2.1. Information with regard to physical hazard classes

Protection against contact with molten material during printing

9.2.2. Other safety characteristics

See section 8

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

No reactions when stored and handled as recommended.

10.2. CHEMICAL STABILITY

The product is stable when stored and used as recommended.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

None, the product is stable when stored and used as directed/indicated.

10.4. CONDITIONS TO AVOID



SAFETY DATA SHEET NYLON PA12

Avoid all sources of ignition: heat, sparks, open flame.

Avoid temperatures above the decomposition temperature.

Protect from moisture.

10.5. INCOMPATIBLE MATERIALS

Strong acids and oxidants.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

None, if the product is used as recommended. In case of fire, hazardous decomposition products (carbon monoxide, carbon dioxide, ammonia, hydrogen cyanide, toxic fumes and other decomposition products) may be formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) NO 1272/2008

11.1.1. Acute toxicity:

Based on available data, the classification criteria are not met.

11.1.2. Skin corrosion / irritation:

Contact with molten product may cause thermal burns.

11.1.3. Serious eye damage / irritation:

Contact with molten product may cause thermal burns.

11.1.4. Respiratory or skin sensitization:

Based on available data, the classification criteria are not met.

11.1.5. Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

11.1.6. Carcinogenicity:

Based on available data, the classification criteria are not met.

11.1.7. Reproductive toxicity:

Based on available data, the classification criteria are not met.

11.1.8. STOT - single exposure:



SAFETY DATA SHEET NYLON PA12

Based on available data, the classification criteria are not met.

11.1.9. STOT - repeated exposure:

Based on available data, the classification criteria are not met.

11.1.10. Aspiration hazard:

Based on available data, the classification criteria are not met.

11.2. INFORMATION ON OTHER HAZARDS

No data.

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY

Do not allow the product to enter the sewage system, surface water or soil.

12.2. PERSISTENCE AND DEGRADABILITY

Persistent, non-biodegradable product.

12.3. BIOACCUMULATIVE POTENTIAL

No data.

12.4. MOBILITY IN SOIL

No data.

12.5. RESULTS OF PBT AND vPvB ASSESSMENT

This mixture does not meet the PBT and vPvB criteria of REACH regulation, annex XIII.

12.6. ENDOCRINE DISRUPTING PROPERTIES

No data.

12.7. OTHER ADVERSE EFFECTS

No data.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

Disposal by recycling is recommended, while all national and local regulations must be followed.



NYLON PA12

SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous good according to transport regulations (ADR, RID, ADN, ICAO, IATA, IMDG).

14.1. UN NUMBER OR ID NUMBER

Not applicable.

14.2. UN PROPER SHIPPING NAME

Not applicable.

14.3. TRANSPORT HAZARD CLASS(ES)

Not applicable.

14.4. PACKING GROUP

Not applicable.

14.5. ENVIRONMENTAL HAZARDS

Not applicable.

14.6. SPECIAL PRECAUTIONS FOR USER

Not applicable.

14.7. MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Some selected:

2020/878/UE - Regulation of the European Commission of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

1907/2006/WE - Regulation on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulations EEC No 793/93 and No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives: 91/155/EEC; 93/67/EEC; 93/105/EC; 2000/21/EC and later changes.



NYLON PA12

1272/2008/WE - Regulation of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending Regulation EC 1907/2006.

15.2. CHEMICAL SAFETY ASSESSMENT

A chemical safety assessment is not required for the mixture.

The SDS for this product is not legally required and is provided by us as a courtesy to our customers. The product is not classified as dangerous. A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

The data contained in this safety data sheet is based on our current knowledge and experience and describes the product only in relation to safety requirements.

Information provided based on reference materials submitted by raw material suppliers. To the knowledge of Fiberlab S.A., they are reliable. This data is for informational purposes only. Fiberlab S.A. makes no warranties and is not responsible for the processing of the material, which may affect the final properties of the product, which may differ from the values given in this document.

